

SAFETY DATA SHEET OF ALCOHOL WIPES DISINFECTANT FOR PROBE THERMOMETERS

SECTION 1- PRODUCT AND COMPANY IDENTIFICATION		
PRODUCT NAME	Alcohol Wipes Disinfectant for Probe Thermometers	DESCRIPTION: Non-woven wipe saturated with 50% Ethyl Alcohol and 8% Isopropyl Alcohol.
Recommended Use:		For disinfection of probe thermometer and work surface, suitable for use in food production
Importer Name:		Fildes Food Safety Pty. Ltd.
Importer Address:		28-32 George Street Sandringham Victoria Australia ,3191
Emergency phone number:		1800 673 644 Poisons Information Centre 131126(24hours)
SECTION 2 - HAZARDS IDENTIFICATION		
Classification of substance or mixture:		Eye Damage/Irritation - Category 2, H319 Highly Flammable Liquid and Vapor – Category 2, H225 Specific target Organ Toxicity –Single Exposure – Category 3, H336
Signal Word:		Warning, Danger
Pictogram:		
Hazard Statements:		Cause serious eye irritation Highly Flammable Liquid and Vapor May cause drowsiness or dizziness
Precautionary Statements:		
Prevention	Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only in a well-ventilated area.	
Response	If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire: Use appropriate media to extinguish.	
Storage	Store in a well-ventilated place. Keep cool.	
Disposal	Dispose of waste and residues in accordance with local authority requirements.	

Ingredients of unknown toxicity:			N.A.
Hazards not Otherwise Classified:			No Data Available
SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS			
Mixtures			
Ingredients	CAS #	Conc. (%) by Volume	Classification
Ethyl Alcohol	64-17-5	50	Flammable Liquid -Category 2, H225
Isopropyl Alcohol	67-63-0	8	Eye Damage/Irritation - Category 2, H319 Highly Flammable Liquid and Vapor – Category 2, H225 Specific Target Organ Toxicity –Single Exposure – Category 3, H336
Non-Hazardous Ingredients	Proprietary	42	Not applicable
Composition comments		The exact % concentration of composition has been withheld as a trade secret in accordance with paragraph (i) of the OSHA HCS 1910.1200.	
SECTION 4 - FIRST AID MEASURES			
FIRST AID MEASURES GENERAL:		Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid. Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.	
INHALATION:		Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor/physician if you feel unwell.	
SKIN CONTACT:		In case of skin irritation, discontinue use of product. Wash off with soap and water. Get medical attention if irritation develops and persists.	
EYES CONTACT:		Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.	
INGESTION:		If swallowed, get medical help or contact a Poison Control Center immediately. Immediately rinse mouth out with water. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious, or is convulsing.	
MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED:		May cause eye damage. Vapors may cause drowsiness or dizziness.	
INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:		Provide general supportive measures and treat symptomatically.	
SECTION 5 – FIRE FIGHTING MEASURES			
SUITABLE EXTINGUISHING MEDIA:		Alcohol resistant foam. Carbon dioxide (CO2). Dry chemical.	
UNSUITABLE EXTINGUISHING MEDIA:		Not available.	

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:	During fire, gases hazardous to health may be formed.
SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection.
FIRE-FIGHTING EQUIPMENT/INSTRUCTIONS:	In case of fire and/or explosion do not breathe fumes. In the event of fire, cool tanks with water spray. Move containers from fire area if you can do so without risk.
SPECIFIC METHODS:	Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Cool containers exposed to flames with water until well after the fire is out. In the event of fire and/or explosion do not breathe fumes.
SECTION 6- ACCIDENTAL RELEASE MEASURES	
PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:	Eliminate all source of ignition. Wear appropriate protective equipment and clothing during clean-up.
ENVIRONMENTAL PRECAUTIONS:	Prevent from entering waterways.
METHODS AND MATERIAL FOR CONTAINMENT AND CLEAN UP:	For large releases, absorb into dry earth and transfer into containers. Wash spill site and water.
REFERENCE TO OTHER SECTIONS:	For personal protection, see section 8 of this SDS. For disposal consideration, see section 13 of this SDS.
SECTION 7- HANDLING AND STORAGE	
PRECAUTIONS FOR SAFE HANDLING:	Flammable, keep away from fire or flame. Do not use with electrocautery procedures. Use according to package label instructions. Discard after single use. Wear appropriate personal protective equipment. Do not get this material in contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Observe good industrial hygiene practices. Use care in handling/storage.
CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:	Store at room temperature. For hospital and professional use only. Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children.
SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION	
OCCUPATIONAL EXPOSURE LIMITS Australia Exposure Standards	

Components	Type	Value
Isopropyl Alcohol (CAS 67-63-0)	PEL	980 mg/m3
		400 ppm
Ethyl Alcohol (CAS 64-17-5)	PEL	1900 mg/m3
		1000 ppm
ACGIH Threshold Limit Values		
Components	Type	Value
Isopropyl Alcohol (CAS 67-63-0)	STEL	400 ppm
	TWA	200 ppm
Ethyl Alcohol (CAS 64-17-5)	STEL	1000 ppm
Pocket Guide to Chemical Hazards		
Components	Type	Value
Isopropyl Alcohol (CAS 67-63-0)	STEL	1225 mg/m3
		500 ppm
		980 mg/m3
		400 ppm
Ethyl Alcohol (CAS 64-17-5)	TWA	1900 mg/m3
		1000 ppm
EXPOSURE CONTROLS		
ENGINEERING CONTROLS:	Ensure there is sufficient ventilation of the area. Ensure all ignition sources are removed.	
INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT		
EYE/FACE RPROTECTION:	Wear gear as deemed necessary. Follow label directions.	
SKIN PROTECTION		
HAND PROTECTION:	Wear gear as deemed necessary. Follow label directions.	
OTHER:	Follow label directions carefully.	
THERMAL HAZARDS:	Not available.	
OTHER WORK/HYGIENIC PRACTICE:	When using do not smoke. Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. .	

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES	
APPEARANCE:	Moist wipe saturated with colourless liquid
ODOUR:	Alcoholic
ODOUR THRESHOLD:	N/A
pH:	N.D.
FLASH POINT:	N. D
FLAMMABLE OR EXPLOSIVE LIMITS:	LEL: N.D UEL: N. D
AUTO IGNITION TEMPERATURE:	N.D.
SOLUBILITY:	Azeotrope
PARTITION COEFFICIENT WATER/N-OCTANOL:	N.D.
VOC%:	N/A
VISCOSITY:	N.D.
SPECIFIC GRAVITY:	N. D
DENSITY LBS/GAL:	N/A
FLAMMABILITY:	N.D.
VAPOR PRESSURE:	N.D.
VAPOR DENSITY:	N.D.
BOILING POINT:	N.D.
BOILING RANGE:	N.D.
EVAPORATION RATE:	N.D.
MELTING POINT:	N/A
SECTION 10 - STABILITY AND REACTIVITY	
REACTIVITY:	This product may react with strong oxidizing agents.
CHEMICAL STABILITY:	Stable under recommended storage and handling conditions.
POSSIBILITY OF HAZARDOUS REACTIONS	Hazardous polymerization will not occur.
CONDITIONS TO AVOID:	Heat, flames and sparks. Avoid temperatures exceeding the flash point. Do not mix with other chemicals.
INCOMPATIBLE MATERIALS:	Aldehydes, amines, strong oxidizers, caustics, chlorinated compounds, alkanolamines.
HAZARDOUS DECOMPOSITION PRODUCTS:	May include and are not limited to: Oxides of carbon
SECTION 11 - TOXICOLOGICAL INFORMATION	
INFORMATION ON TOXICOLOGICAL EFFECTS	
INGESTION:	Not applicable under normal conditions of use.
INHALATION:	Vapors have a narcotic effect and may cause headache, fatigue,

	dizziness and nausea.
SKIN CONTACT:	Not expected to be a primary skin irritant.
EYE CONTACT:	Cause serious eye irritation.
SYMPTOMS RELATED TO THE PHYSICAL, CHEMICAL AND TOXICOLOGICAL CHARACTERISTICS:	Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Symptoms may include stinging, tearing, swelling, and redness, blurred vision.
INFORMATION ON TOXICOLOGICAL EFFECTS	
ACUTE TOXICITY:	Narcotic effects.
Base on 100% Isopropyl Alcohol (CAS: 67-63-0)	
Acute	
Dermal	
LD50	Rabbit 12800 mg/kg
Inhalation	
LC50	Rat 16970 mg/L/4h
Oral	
LD50	Rat 4396 mg/kg
Base on 100% Ethyl Alcohol (CAS 64-17-5)	
Acute	
Dermal	
LD50	Not Available
Inhalation	
LC50	Mouse 39 mg/l, 4 Hours Rat 31623 ppm, 4 Hours 20000 ppm, 10hours
Oral	
LD50	Dog 5500 mg/kg Guinea pig 5600 mg/kg Mouse 3450 mg/kg Rat 7600 mg/kg
SKIN CORROSION/IRRITATION:	Prolonged skin contact may cause temporary irritation.
EXPOSURE MINUTES:	Not available.
ERYTHEMA VALUE:	Not available.
OEDEMA VALUE:	Not available.
SERIOUS EYE DAMAGE/EYE IRRITATION:	Cause serious eye irritation.
CORNEAL OPACITY VALUE:	Not available.
IRIS LESION VALUE:	Not available.
CONJUNCTIVAL REDDENING VALUE:	Not available.

CONJUNCTIVAL OEDEMA VALUE:	Not available.		
RECOVERY DAYS:	Not available.		
RESPIRATORY OR SKIN SENSITIZATION			
RESPIRATORY SENSITIZATION:	Not available.		
SKIN SENSITIZATION:	This product is not expected to cause skin sensitization.		
GERM CELL MUTAGENICITY:	This product is not expected to have chronic health effects.		
REPRODUCTIVE TOXICITY:	This product is not expected to have chronic health effects.		
SPECIFIC TARGET ORGAN TOXICITY -SINGLE EXPOSURE:	Narcotic effects.		
SPECIFIC TARGET ORGAN TOXICITY -REPEATED EXPOSURE:	Not classified.		
ASPIRATION HAZARD:	Not classified.		
CHRONIC EFFECTS:	Prolonged inhalation may be harmful.		
FURTHER INFORMATION:	Not available		
SECTION 12 – ECOLOGICAL INFORMATION			
ECOTOXICITY SEE BELOW			
COMPONENTS		SPECIES	TEST RESULTS
ISOPROPYL ALCOHOL (CAS 67-63-0)			
Algae	IC50	Algae	1000mg/L, 72 Hours
Crustacea	EC50	Daphnia	11744.5 mg/L, 48 Hours
Aquatic Fish	LC50	Bluegill (Lepomis macrochirus)	>1400mg/L, 96 Hours
COMPONENTS		SPECIES	TEST RESULTS
Ethyl Alcohol (CAS 64-17-5)			
Crustacea	EC50	Daphnia	11744.5 mg/L, 48 Hours
Aquatic Crustacea	EC50	Water flea (Daphnia magna)	7.7 - 11.2 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	> 100 mg/l, 96 hours
PERSISTENCE AND DEGRADABILITY:		No data available.	
BIOACCUMULATIVE POTENTIAL:		No data available.	
MOBILITY IN SOIL:		No data available.	
MOBILITY IN GENERAL:		Not available.	
OTHER ADVERSE EFFECTS		No other adverse environmental effects (e.g., ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	

SECTION 13 - DISPOSABLE CONSIDERATIONS	
DISPOSAL INSTRUCTIONS:	Follow container label directions carefully. Dispose of contents/ container in accordance with local/ regional/ national/ international regulations.
LOCAL DISPOSAL REGULATIONS:	Dispose in accordance with all applicable regulations.
HAZARDOUS WASTE CODE:	Dispose in accordance with all applicable regulations.
WASTE FROM RESIDUES/UNUSED PRODUCTS:	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
CONTAMINATED PACKAGING:	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.
SECTION 14 - TRANSPORT INFORMATION	
DEPARTMENT OF TRANSPORTATION (DOT) : Basic shipping requirements: UN Number Proper Shipping Name Hazard Class Packing Group Packaging exceptions TRANSPORTATION OF DANGEROUS GOODS (TDG-Canada) : Basic shipping requirements: UN Number Proper Shipping Name Hazard Class Packing Group Packaging exceptions DOT; TDG 	UN3175 Solids containing flammable liquid, n.o.s. (Alcohol, Isopropyl Alcohol) 4.1 II <1kg - limited quantity (par. 173.151) Note: Individually wrapped packet product is exempted from DOT regulation per Special Provision 47. UN3175 Solids containing flammable liquid, n.o.s. (Alcohol, Isopropyl Alcohol) 4.1 II <1kg - limited quantity
SECTION 15 - REGULATORY INFORMATION	

Indications of Danger:
 F Highly Flammable
 Xi Irritant

POISONS SCHEDULE: None

Regulations for ingredients

Ethanol (CAS: 64-17-5) is found in the following regulatory lists;

"Acros Transport Information", "Australia Exposure Standards", "Australia FAISD handbook – First Aid Instructions, Warning Statements, and General Safety Precautions", "Australia Hazardous Substances", "Australia High Volume Industrial Chemical List (HVICL)", "Australia Inventory of Chemical Substances (AICS)", "Australia National Pollutant Inventory".


Isopropanol (CAS: 67-63-0) is found on the following regulatory lists;

"Acros Transport Information", "Australia Exposure Standards", "Australia Hazardous Substances", "Australia High Volume Industrial Chemical List (HVICL)", "Australia Inventory of Chemical Substances (AICS)", "Australia National Pollutant Inventory", "Australia Quarantine and Inspection Service List of Chemical compounds that are accepted solely for use at establishments registered to prepare meal and meat products for the purpose of export control act 1982".

SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 (SARA)

HAZARD CATEGORIES	IMMEDIATE HAZARD	Yes
	DELAYED HAZARD	No
	FIRE HAZARD	Yes
	PRESSURE HAZARD	No
	REACTIVITY HAZARD	No
SARA 302 EXTREMELY HAZARDOUS SUBSTANCE	No	
SARA 311/312 HAZARDOUS CHEMICAL	No	
SARA 313 (TRI reporting)		
Chemical Name	CAS Number	% By volume
Isopropyl Alcohol	67-63-0	8

SECTION 16 - OTHER INFORMATION

<table><tr><th colspan="2">LEGEND</th></tr><tr><td>Severe</td><td>4</td></tr><tr><td>Serious</td><td>3</td></tr><tr><td>Moderate</td><td>2</td></tr><tr><td>Slight</td><td>1</td></tr><tr><td>Minimal</td><td>0</td></tr></table>	LEGEND		Severe	4	Serious	3	Moderate	2	Slight	1	Minimal	0	<table><tr><td>HEALTH</td><td>/ 1</td></tr><tr><td>FLAMMABILITY</td><td>3</td></tr><tr><td>PHYSICAL HAZARD</td><td>0</td></tr><tr><td>PERSONAL PROTECTION</td><td>X</td></tr></table> 	HEALTH	/ 1	FLAMMABILITY	3	PHYSICAL HAZARD	0	PERSONAL PROTECTION	X
LEGEND																					
Severe	4																				
Serious	3																				
Moderate	2																				
Slight	1																				
Minimal	0																				
HEALTH	/ 1																				
FLAMMABILITY	3																				
PHYSICAL HAZARD	0																				
PERSONAL PROTECTION	X																				
DISCLAIMER:	The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.																				
ISSUE DATE:	August 6th,2024																				

EFFECTIVE DATE:	August .6 th ,2024
EXPIRATION DATE:	August . 6 th ., 2029
OTHER INFORMATION:	This Safety Data Sheet was prepared to comply with the current OSHA Hazard

Communication Standard (HCS) adoption of the Globally Harmonized System of
Classification and Labeling of Chemicals (GHS).

END SDS